




Architectural drawing of a staircase showing dimensions and materials. The drawing includes the following details:

- Dimensions:**
  - Overall width: 2700
  - Overall depth: 2810
  - Stair width: 1430
  - Stair depth: 1200
  - Stair width (bottom): 1340
  - Stair depth (bottom): 1200
  - Stair width (top): 1340
  - Stair depth (top): 1200
  - Stair width (middle): 1200
  - Stair depth (middle): 1200
  - Stair width (bottom): 1340
  - Stair depth (bottom): 1200
  - Stair width (top): 1340
  - Stair depth (top): 1200
- Materials and Construction:**
  - NAŠLAPNÁ VRSTVA PODEST Z POZINKOVANÉHO POROROŠTU tl. 30mm (Anti-slip layer of galvanized powder-coated steel, 30mm thick)
  - STUPNĚ Z POZINKOVANÉHO POROROŠTU tl. 30mm (Steps of galvanized powder-coated steel, 30mm thick)
  - OCELOVÉ ZÁBRADLÍ V VODOROVNOU TRUBKOVOU VÝPLNÍ, VÝŠKY 1,0m (Steel handrails with horizontal tubular infill, height 1.0m)
- Other Details:**
  - 10x150/300 (Stair width and depth)
  - 9x150/300 (Stair width and depth)
  - +1,200 (Elevation)
  - 0,150 (Elevation)

[illegible][illegible]

VYPRACOVAL:		 Kotojedská 2588, 767 01 Kroměříž	
Ing. Jiří Krasnovský			
ZODP. PROJEKTANT:		 Město Kroměříž	
Ing. Martin Janoušek			
INVESTOR:	Město Kroměříž, Velké náměstí 115/1, 767 01 Kroměříž	 Město Kroměříž	
MÍSTO STAVBY:	Lesní 299/54, Kroměříž, k.ú. Vážany u Kroměříže, p.č. 681/68, 681/5		
ČÁST PD:	D.1 Architektonicko–stavební řešení – S001.2	FORMÁT:	2xA4
NÁZEV AKCE:	Úprava a rozšíření požárních únikových cest v DPS Vážany	DATUM:	01/2022
		STUPEŇ PD:	DPS
NÁZEV VÝKRESU:	Půdorysy – venkovní únikové schodiště	MĚŘÍTKO:	1:50
		ČÍSLO VÝKRESU:	D.1.1.b_1